



Ear Clamp



EsX Seamless Ear Clamp

EsX is our 360 degrees seamless sealing ear type hose clamp. This clamp has a diameter compensation due to its design. Easy and quick installation. It has a uniform clamping force and is ideal for applications with thin walled and fuel hoses. With rounded band edges and a smooth band surface this clamp is very gentle to the hose. The EsX is available in 5, 7 and 9 mm bandwidth in stainless steel grade so you can find the perfect combination to fulfill the requirement of the application. Ideal applications are automotive and aviation where high demand of leak proof joints are required.



Bandwidth 7 mm (5 & 9 mm available on request)

Clamping range	W1	W4	W5	Packaging Size	Part. No
6.0-7.0		★		500	2674060070
7.0-8.7		★		500	2674070087
7.8-9.5		★		500	2674078095
8.8-10.5		★		500	2674088105
9.6-11.3		★		500	2674096113
9.4-11.9		★		500	2674094119
9.8-12.3		★		500	2674098123
10.3-12.8		★		500	2674103128
10.8-13.3		★		500	2674108133
11.3-13.8		★		500	2674113138
11.5-14.0		★		500	2674115140
12.0-14.5		★		500	2674120145
12.3-14.8		★		500	2674123148
12.8-15.3		★		500	2674128153
13.2-15.7		★		500	2674132157
13.7-16.2		★		100	2674137162
14.1-16.6		★		100	2674141166
14.3-16.8		★		100	2674143168
14.5-17.0		★		100	2674145170
15.0-17.5		★		100	2674150175
14.5-17.8		★		100	2674145178
14.8-18.0		★		100	2674148180
15.3-18.5		★		100	2674153185
16.0-19.2		★		100	2674160192
16.6-19.8		★		100	2674166198
17.8-21.0		★		100	2674178210
19.4-22.6		★		100	2674194226
20.3-23.5		★		100	2674203235
20.9-24.1		★		100	2674209241
22.4-25.6		★		100	2674224256
23.9-27.1		★		100	2674239271
25.4-28.6		★		100	2674254286

Clamping range	W1	W4	W5	Packaging Size	Part. No
26.9-30.1		★		100	2674269301
27.6-30.8		★		100	2674276308
28.4-31.6		★		100	2674284316
29.9-33.1		★		100	2674299331
31.4-34.6		★		100	2674314346
32.9-36.1		★		100	2674329361
34.4-37.6		★		100	2674344376
34.9-38.1		★		100	2674349381
36.4-39.6		★		100	2674364396
37.8-41.1		★		100	2674378411
39.3-42.5		★		100	2674393425
40.8-44.0		★		100	2674408440
42.3-45.5		★		100	2674423455
43.6-47.0		☆		100	2674436470
45.3-48.5		☆		100	2674453485
46.8-50.0		☆		100	2674468500
48.3-51.5		☆		100	2674483515
49.8-53.0		☆		100	2674498530
51.3-54.5		☆		100	2674513545
52.8-56.0		☆		100	2674528560
54.3-57.5		☆		100	2674543575
55.8-59.0		☆		100	2674558590
57.3-60.5		☆		100	2674573605
58.8-62.0		☆		100	2674588620
60.3-63.5		☆		100	2674603635
61.8-65.0		☆		100	2674618650
63.3-66.5		☆		100	2674633665
64.8-68.0		☆		100	2674648680
66.3-69.5		☆		100	2674663695
67.8-71.0		☆		100	2674678710
69.3-72.5		☆		100	2674693725
70.8-74.0		☆		100	2674708740

★ Standard ☆ On request

EIX Low Profile Ear Clamp

EIX is our 360 degrees seamless sealing low profile type hose clamp. This clamp can be reopened and reinstalled for fixed clamping diameters.

Easy and quick installation. This clamp has a uniform clamping force and is ideal for applications with thin walled hoses and fuel hoses. With rounded band edges and a smooth band surface this clamp is very gentle to the hose.

The EIX is available in 7 mm bandwidth in stainless steel grade. Ideal for rotating parts due to minimal impacts on balance, and when the clamp need to be reopen.

Ideal applications are automotive and machinery, especially on drive shaft bellows or other rotating parts.



Bandwidth 7 mm

Clamping diameter	W1	W4	W5	Packaging Size	Part. No
19		☆		100	2684000190
19,5		☆		100	2684000195
20		☆		100	2684000200
20,5		☆		100	2684000205
21		☆		100	2684000210
21,5		☆		100	2684000215
22		☆		100	2684000220
22,5		☆		100	2684000225
23		☆		100	2684000230
23,5		☆		100	2684000235
24		☆		100	2684000240
24,5		☆		100	2684000245
25		☆		100	2684000250
25,5		☆		100	2684000255
26		☆		100	2684000260
26,5		☆		100	2684000265
27		☆		100	2684000270
27,5		☆		100	2684000275
28		☆		100	2684000280
28,5		☆		100	2684000285
29		☆		100	2684000290
29,5		☆		100	2684000295
30		☆		100	2684000300
30,5		☆		100	2684000305
31		☆		100	2684000310
31,5		☆		100	2684000315
32		☆		100	2684000320
32,5		☆		100	2684000325

Clamping diameter	W1	W4	W5	Packaging Size	Part. No
33		☆		100	2684000330
33,5		☆		100	2684000335
34		☆		100	2684000340
34,5		☆		100	2684000345
35		☆		100	2684000350
35,5		☆		100	2684000355
36		☆		100	2684000360
36,5		☆		100	2684000365
37		☆		100	2684000370
37,5		☆		100	2684000375
38		☆		100	2684000380
38,5		☆		100	2684000385
39		☆		100	2684000390
39,5		☆		100	2684000395
40		☆		100	2684000400
40,5		☆		100	2684000405
41		☆		100	2684000410
41,5		☆		100	2684000415
42		☆		100	2684000420
42,5		☆		100	2684000425
43		☆		100	2684000430
43,5		☆		100	2684000435
44		☆		100	2684000440
44,5		☆		100	2684000445
45		☆		100	2684000450
46-125		☆		100	268400XXXX

- ⊛ Standard
- ☆ On request

CCT House Scandinavia AB

With a long experience in the clamping & connecting industry and cooperations with global actors, CCT House understood that in today's rapid changing market, there was a need of a partner that really could supply the right parts for the customer's needs. And sometimes there is a need of unconventional products that has not even been produced before. That's why CCT House not only supplies what we produce. Having different levels of quality/performance for better complying with the asked performance, helps our customer to do significant cost savings and get the right product for each application. With that said, we do not compromise with the product quality itself, all of our products are produced according to ISO9000/ISOTS16949 and comply with relevant standards. You can really trust that CCT House always deliver the right quality and performance level.

CCT House have the widest range of clamping and connecting products for almost all levels of demand. Products that fulfill the customers requirements with the right performance level and at the same time, save costs without risk of getting low quality.

Contact us, our team is ready to serve you.

