

NEW!
Stronger

SwX Clamp



HdX Heavy Duty Clamp

HdX is our super strong American type hose clamp, with 2-pcs housing and perforated band.

This clamp has ultrahigh clamping force due to the perforated band and is ideal for applications when it is a hard surface on the hose, or plastics hoses and pipes.

The HdX is available in 15,8 mm bandwidth, and several materials from zink plate to different stainless steel grades so you can find the perfect combination to fulfill the requirement of the application.

Ideal applications are in automotive, military and agricultural.



Bandwidth 15,8 mm

Clamping range	W1	W4	W5	Packaging Size	Part. No
25-45		★		50	1084025045
32-54		★		50	1084032054
45-67		★		50	1084045067
57-79		★		50	1084057079
70-92		★		10	1084070092
83-105		★		10	1084083105
95-118		★		10	1084095118
108-130		★		10	1084108130
121-143		★		10	1084121143
133-156		★		10	1084133156
146-168		★		10	1084146168
159-181		★		10	1084159181
172-194		★		10	1084172194
184-206		★		10	1084184206
197-219		★		10	1084197219
210-232		★		10	1084210232
200-250		☆		10	1084200250
230-280		☆		10	1084230280
265-315		☆		10	1084265315
300-365		☆		10	1084300365
340-405		☆		10	1084340405
385-450		☆		10	1084385450
450-515		☆		10	1084450515
540-605		☆		10	1084540605

★ Standard

☆ On request

SwX SMS Type Clamp

SwX is our Nordic type hose clamp with housing made of tube, complying with SMS 2298.

This clamp has a very high clamping force and is almost unbreakable with its strong design, so it is ideal for heavy duty demands when extra ordinary characteristics is needed and other clamps fails.

With rounded band edges and a smooth bands surface this clamp is very gentle to the hose even with its very high clamping force.

The SwX is available in 9,7 mm and 12 mm bandwidth, and several materials from zink plate to different stainless steel grades so you can find the perfect combination to fulfill the requirement of the application.

Ideal applications are rigid, reinforced, plastic hoses and where a very high clamping force is needed such as trucks, marine, agriculture and heavy industry.



Bandwidth 9,7/ 12 mm Screw M7

Clamping range	W1	W4	W5	Packaging Size	Part. No*
8-14/9	★	★	★	100	113X008014
11-17/9	★	★	★	100	113X011017
13-20/9	★	★	★	100	113X013020
15-24	★	★	★	100	113X015024
19-28	★	★	★	100	113X019028
22-32	★	★	★	100	113X022032
26-38	★	★	★	100	113X026038
32-44	★	★	★	100	113X032044
38-50	★	★	★	100	113X038050
44-56	★	★	★	100	113X044056
50-65	★	★	★	100	113X050065
58-75	★	★	★	100	113X058075
68-85	★	★	★	100	113X068085
77-95	★	★	★	100	113X077095
87-112	★	★	★	100	113X087112
104-138	★	★	★	100	113X104138
130-165	★	☆	☆	50	113X130165
150-180	★	☆	☆	50	113X150180
175-205	☆	☆	☆	50	113X175205
200-231	☆	☆	☆	50	113X200231
226-256	☆	☆	☆	50	113X226256
251-282	☆	☆	☆	50	113X251282
277-307	☆	☆	☆	50	113X277307

★ Standard

☆ On request

* replace X with material no (1, 4, 5)

CCT House Scandinavia AB

With a long experience in the clamping & connecting industry and cooperations with global actors, CCT House understood that in today's rapid changing market, there was a need of a partner that really could supply the right parts for the customer's needs. And sometimes there is a need of unconventional products that has not even been produced before. That's why CCT House not only supplies what we produce. Having different levels of quality/performance for better complying with the asked performance, helps our customer to do significant cost savings and get the right product for each application. With that said, we do not compromise with the product quality itself, all of our products are produced according to ISO9000/ISOTS16949 and comply with relevant standards. You can really trust that CCT House always deliver the right quality and performance level.

CCT House have the widest range of clamping and connecting products for almost all levels of demand. Products that fulfill the customers requirements with the right performance level and at the same time, save costs without risk of getting low quality.

Contact us, our team is ready to serve you.

